

Egg Industry Specific Brochure

CSEG Carton Sealer



BestPackTM
the total tape sealing solution

What you get from the CSEG Carton Sealer



Speed

Carton sealing without any concern of delays and reduced efficiency.

At a rate of 20-30 cartons/minute, the CSEG outperforms the speed that any grader can deliver.



Versatility

Confidently handles random sized cartons and plastic crates

Automatically adjusts to egg industry standard carton sizes: 30, 24, 18, 15, 12, 9, and 5 dozen, as well as the pass-through of plastic crates.



Dependability

Reduced worry from down-time and Expensive Maintenance Costs.

Engineered Quality that means low maintenance, high efficiency, and legendary tape head design that exceeds egg industry demands.



CSEG Testimonials



We use many different sized packaging at our egg farm. This includes 1/2 cases which doubles our volume of 500/cph.

The CSEG machine has no problem in keeping up, and I would highly recommend your product to my fellow egg producers.



Since our customers require packaging with different dozen counts, the efficient random adjustment to different carton heights occurs without difficulty. I particularly appreciate the crate pass-through feature of your machine.



Our egg farm has been running your model CSEG11-2H since February 2015. Your tech installed the machine in hours and had us up and running with very little adjustment the next morning. Ever since then, we have had little to no down time. Compared to other machines I've used and seen in my 42 years in the egg industry, this machine far exceeds any other.

For more information please go to:

www.bestpack.com or call us at **1.888.588.2378**

All contents are Copyright © 2018 BestPack Packaging Systems. All rights reserved. This document is BestPack Public Information.

AC Black Tape Head

The Heart of the CSEG Egg Machine is its specially developed tape head that provides unmatched value to your egg operation.

Tension Adjustment Knob

Allows the tape head to handle Acrylic and Hot Melt Adhesives.

Application Wipe Down Roller

Makes full use of tape adhesion through multiple wipe-down mechanism points.

Adjustable Tab Length

Tab Lengths from: 2.5", 2.75", and 3.0"

Optimizing Arm


Used to smooth the tape release from the roll and reduce tape unwind noise.

Brass Knurled Roller

Handles Acrylic and Hot Melt Tape with minimal adhesive build-up.

Tape Erect Plate

Allows for consistent application in adverse windy environments.



BestPack Brand



Excellent Application with both Acrylic & Hot Melt Tape.



Low Maintenance & Wear with reduced tape build up because of brass roller and cutting blade design.



Specific upgraded engineering to meet the demands of the egg industry.

Other Brands



Limited Applicability



High maintenance & wear that adds up to high cost, adhesive buildup, and blade wear.




An "after-thought" application that is slower and expensive.

For more information please go to:

www.bestpack.com or call us at 1.888.588.2378

All contents are Copyright © 2018 BestPack Packaging Systems. All rights reserved. This document is BestPack Public Information.



Features

- Heavy Duty 3mm Welded Frame
- Randomly handles multiple length & height egg case sizes
- Plastic Egg Crate Pass-Through
- Independent 3-stage operation: Indexing, Flap Folding, & Sealing
- AB PLC Controls w/ Ethernet Capabilities
- Side Belt Drive with High Speed Motors
- Capable of Interchanging 2", 3", 4", & 6" BestPack Pop-out High Speed Tape Heads
- Low Tape/No Tape on Carton/ and No Cut Sensors with Alarm
- SMC Maintenance Free, Oil-less Air Cylinders with Air Cushion
- Interlock Safety Gates
- Adjustable Bed Height from 25.0" to 30.0"
- Tape Roll Lengths: 1000 yd. & 1500 yd.
- UL Approved Electrical Parts
- Heavy Duty Locking Casters



**Does Not Require
Operator**



Random Cartons



Top & Bottom Seal

Machine & Carton Specifications

**110 Volts 60 Hz
20 AMP**



Power Requirements

Up to 30
Cartons/min.

**85 PSI
12+ SCFM**
Air Requirements

1,320 lbs
Shipping Weight

CSEG Foot Print



Note: Dimensions are all subject to change without prior notification. Call BestPack for pricing.