BestPack

www.bestpack.com



BestPack Packaging Systems | 1425 S. Campus Avenue, Ontario, CA 91761 | 1.888.588.2378

All contents are copyright © 2020 BestPack Packaging Systems. All rights reserved. This document is BestPack Public Information.





QUALITY • INNOVATION • COMMUNITY

BestPack is the Leading Innovator in **Tape Sealing Solutions**

With over 35 years of global packaging expertise, BestPack has developed over 120 models of carton sealers in over 48 countries worldwide.

Time-tested and effective, BestPack carton sealers have a reputation for quality and durability. Whether your company needs a standard RSC top & bottom seal or a 1-edge high-speed clamshell seal, BestPack will find the perfect sealing solution to increase your efficiency and decrease your cost.

BestPack has a full Engineering & Innovation Department, dedicated to creating a successful sealing solution for your application.



Features

OPERATOR


REGUIRED

With over 120+ models of carton sealers, we offer the best solutions for your carton sealing needs.

If your needs cannot be filled by one of our standard carton sealers, customization options

> Features Side Belt Drives






Anatomy of the MSD Carton Sealer

BestPack Carton Sealers

Why BestPack?



1.888.588.2378 www.bestpack.com

Going Beyond Packaging Packaging Solutions for a Better World

- support philanthropic causes in the USA, Mexico, and the Philippines.


BestPack's Full Line of Carton Sealing Tape

Full System Integration: Carton Sealer & Erector





1.888.588.2378 www.bestpack.com






ERECTORS Z **CARTO**


BestPack Carton Erectors

BestPack's line of custom printed and generic print tape adds security and brand awareness to your packages.

Tape Breakdown:

Adhesiv





L-BRACKET		
Carton Holder & 3	Stopper	

Semi-Automatic Solutions



T-RAIL & FLAP FOLDER

For Erecting & Bottom Folding + Sealing



MANUAL BOTTOM FLAP FOLDER


For Erecting and Packing





Features

- Quick and Easy Changeover
- Power Feed Hopper
 - Hopper Length of 40" for Carton Capacity
 - Vacuum Pump Suction Cup System
 - PLC Logic Control
 - Alarm System for Low Tape/No Tape on Carton/No Cut Sensors with Malfunction Jam Detection and Three-colored Warning Light
 - Carton on Demand Logic with Photo Eve
 - Side Belt Drive with High Speed Motors
 - Small Footprint





ESHB Automatic Straight Feed Suction Cup Case Erector

Features

- Quick and Easy Changeover
- Carton Straight Fed from the Hopper/Carton Bottom Pulled
- Hopper Capacity: 70-100 Cartons
- Venturi Suction Cup System
- PLC Logic Control

110 VOLTS 60 HZ

Single Phase

POWER

REQUIREMENTS

X

NO OPERATOR

REOUIRED

 Alarm System for Low Tape/No Tape on Carton/No Cut Sensors with Malfunction Jam Detection and Three-colored Warning Light

CARTONS

Carton on Demand Logic with Photo Eye



ESHT Automatic Straight Suction Cup Case Erector

Up to 15 Cartons/min.

Features

- Quick and Easy Changeover
- Carton Straight Fed from the Hopper/Carton Top Pulled
- Hopper Capacity: 70-100 Cartons
- Venturi Suction Cup System
- PLC Logic Control
- Alarm System for Low Tape/No Tape on Carton/ No Cut Sensors with Malfunction Jam Detection and Three-colored Warning Light
- Carton on Demand Logic with Photo Eye

OLTS 60 HZ gle Phase 100 PSI 10+ SCFM POWER UIREMENTS AIR REQUIREMENTS (126.0") X (75.0") X (79.0") MACHINE DIMENSIONS		110 VOLTS 60 HZ Single Phase Power Requirements		100 PSI 10+ SCFM Air Requirements	
		(198.1") X (86.2") X (83.1") MACHINE DIMENSIONS			
ATOR	UNIFORM	BOTTOM SEAL ONLY	NO OPERATOR REQUIRED	UNIFORM	BOTTOM

Custom Printed & Colored Tape

1.888.588.2378 www.bestpack.com

AVAILABLE TYPES OF PRINT

Anatomy of the AC Tape Head

BestPack Tape Heads



AC BestPack Standard Tape Head **Pressure Sensitive Tape Head**

Features

SPEED

- Durable, Heavy Duty Tape Head
- High Speed Design Flexible for Standard & High Speed Applications
- Brass Knurled Roller Handles Acrylic and Hot Melt Tape with Minimal Adhesive Build-up
- Tension Adjustment Knob with Heavy Duty Spring
- Optimizing Arm for Smooth Tape Roll Unwind
- Tape Erect Plate System Allows for Proper Position of the Tab for both Acrylic and Hot Melt Tape
- Tab Length Adjustment of 2.5", 2.75" and 3.0"

2", 3", 4" & 6" SIZES AVAILABLE

AVAILABLE FOOD GRADE 304





BP Universal Tape Head

Universal Tape Head



Features

- Narrow Width and Short Length Footprint -Designed to Fit in Other Carton Sealers with Proper Adaptors
- Brass Knurled Roller Handles Acrylic and Hot Melt Tape with Minimal Adhesive Build-up
- Tension Adjustment Knob with Heavy Duty Spring
- Optimizing Arm for Smooth Tape Roll Unwind
- Easy Tab Length Adjustment of 2.0", 2.5" and 3.0"
- Tape Erect Plate System Allows for Proper Position of the Tab for both Acrylic and Hot Melt Tape





UNIVERSAL

PT Pneumatic Tape Head

High Speed Pneumatic Tape Head



Features

- Flexible for Standard and High Speed Applications Up to 75+ Cartons/min.
- Kiss Touch Tape Application Allows for Sealing Even Light Chipboard Cartons
- Brass Knurled Roller Handles Acrylic and Hot Melt Tape with Minimal Adhesive Build-up
- Two Tension Adjustment Knobs with One Heavy Duty Tension Spring and One Light Tension Spring
- SMC Oil-Less Pneumatic Air Cylinder with Air Cushion for long Cylinder Life and No Maintenance





MADE FOR EDGE SEALERS

ROLLER

OPTIMIZING

ARM

TH Legacy Tape Head

Pressure Sensitive Tape Head



Features

- Standard TH uses a Unique 3 Roller Tape Feed System for Reduced Number of Rollers to Feed Tape Around When Threading Tape in Tape Head (TH High Speed Tape Head uses a 5 Roller System)
- Brass Knurled Roller Handles Acrylic and Hot Melt Tape with Minimal Adhesive Build-up
- Tension Adjustment Knob with Heavy Duty Spring
- Tab Length Adjustment from 2.0" to 2.5" Long
- Pop-out Tape Heads Tape Heads can be Changed Quickly and Easily







TAPE FEED SYSTEM





2", 3", 4", 6" and Stainless Steel Tape Heads available for your sealing needs.



S **HEAD** TAPI