

BestPack™

the total tape sealing solution



QUALITY • INNOVATION • COMMUNITY

BestPack is the Leading Innovator in Tape Sealing Solutions

With over 35 years of global packaging expertise, BestPack has developed over 120 models of carton sealers in over 48 countries worldwide.

Time-tested and effective, BestPack carton sealers have a reputation for quality and durability. Whether your company needs a standard RSC top & bottom seal or a 1-edge high-speed clamshell seal, BestPack will find the perfect sealing solution to increase your efficiency and decrease your cost.

BestPack has a full Engineering & Innovation Department, dedicated to creating a successful sealing solution for your application.



Why BestPack?

1.888.588.2378
www.bestpack.com

QUALITY

Setting the Standard Equipment Built to Last

- Committing to quality, our machines have proven efficiency, durability, and longevity.
- We deliver well built, long-lasting solutions.

INNOVATION

Unique Sealing Solutions 120+ Carton Sealers

- Our engineering team has experience customizing sealing solutions for unique applications.
- Many of our current fleet of over 120 models of carton sealers began as custom applications.
- Solutions for Clamshell, FOL type, Edge Seals, or RSC type cartons.

COMMUNITY

Going Beyond Packaging Packaging Solutions for a Better World

- Sustainable Solutions - Solar powered facilities, BG tape for 100% Recycled Corrugated.
- Every BestPack purchase helps support philanthropic causes in the USA, Mexico, and the Philippines.

Some of the many solutions BestPack Sealers offer:




Top & Bottom Seal



Top Seal Only




Bottom Seal Only



2 Top & 2 Bottom Seal




Side Seal



1-Edge Seal



4-Edge Seal



Tab Seal

BestPack's Full Line of Carton Sealing Tape

Custom Printed & Colored Tape

1.888.588.2378
www.bestpack.com

BG: The One Taping Solution

BestPack's BG tape is a specially formulated adhesive and film composition with high tack properties. Using our unique low stretch cast film, BG Carton Sealing Tape is perfect for your difficult and challenging applications where high tack is needed.



- Great Alternative for Hot Melt Tape** (Icon: Hot Melt 2.0 MIL)
- Downgauge for Cost Savings** (Icon: BG 1.9 MIL)
- Usage in Extreme Temperatures** (Icon: Snowflake and Sun)
- Proven Solution for 100% Recycled Corrugated** (Icon: Recycled Box)
- Formulated for Challenging & Difficult Applications** (Icon: Beaker)

An Aggressive Acrylic Tape for Difficult Applications

Features

- Good Initial Quick Tack
- Rohm & Haas Acrylic Adhesive
- Usage in Extreme Temperatures
- Excellent Clarity
- UV Light Resistant
- Long Shelf Life

32°F - 150°F
APPLICATION TEMPERATURE

-30°F - 200°F
SERVICE TEMPERATURE

HT

General Purpose Tape for Light to Heavy Duty Applications



Features

- Good Initial Quick Tack
- Consistent & Easy Release
- High Shear
- Heavy Duty Grade Tape

32°F - 104°F
APPLICATION TEMPERATURE

30°F - 140°F
SERVICE TEMPERATURE

BP

Pressure Sensitive Tape for Industrial Applications



Features

- Usage in Extreme Temperatures
- Excellent Clarity
- UV Light Resistant
- Long Shelf Life

32°F - 150°F
APPLICATION TEMPERATURE

-30°F - 200°F
SERVICE TEMPERATURE

BestPack's line of custom printed and generic print tape adds security and brand awareness to your packages.



AVAILABLE TYPES OF PRINT


Surface Print Tape

Benefits of Surface Print:

- Good for smaller volume prints
- Added security and brand awareness
- Quick production time

Tape Breakdown:

Print Design
Film
Adhesive




Lock Print Tape

Benefits of Lock Print:

- Better print security & clarity
- More affordable for high volume usage accounts
- Print does not smudge or smear off

Tape Breakdown:

Film
Print Design
Adhesive



Sample Generic Prints

- If Seal is broken or package damaged check contents before signing receipt (STOP sign)
- THIS CARTON HAS BEEN SEALED WITH PILFER PROOF TAPE - WARNING - WARNING (Warning signs)
- SECURITY TAPE (Security tape)
- FRAGILE HANDLE WITH CARE (Fragile sign)
- STOP FRAGILE! (Stop sign)

COLORED TAPE

BestPack colored tape line brings bright and colorful sealing options to your packages. Available in hand or machine length rolls.



Available Widths	48mm	72mm	144mm
Available Lengths	100m	914m	

Available Colors	Tan	Orange	Yellow
	Red	Green	Blue
			White

*BestPack Carton Sealing Tape is ISO 9001 and ISO 14001 Certified



AC BestPack Standard Tape Head

Pressure Sensitive Tape Head



Features

- Durable, Heavy Duty Tape Head
- High Speed Design - Flexible for Standard & High Speed Applications
- Brass Knurled Roller - Handles Acrylic and Hot Melt Tape with Minimal Adhesive Build-up
- Tension Adjustment Knob with Heavy Duty Spring
- Optimizing Arm for Smooth Tape Roll Unwind
- Tape Erect Plate System Allows for Proper Position of the Tab for both Acrylic and Hot Melt Tape
- Tab Length Adjustment of 2.5", 2.75" and 3.0"

2", 3", 4" & 6"
SIZES AVAILABLE

AVAILABLE
FOOD GRADE 304 STAINLESS STEEL



BP Universal Tape Head

Universal Tape Head



Features

- Narrow Width and Short Length Footprint - Designed to Fit in Other Carton Sealers with Proper Adaptors
- Brass Knurled Roller - Handles Acrylic and Hot Melt Tape with Minimal Adhesive Build-up
- Tension Adjustment Knob with Heavy Duty Spring
- Optimizing Arm for Smooth Tape Roll Unwind
- Easy Tab Length Adjustment of 2.0", 2.5" and 3.0"
- Tape Erect Plate System Allows for Proper Position of the Tab for both Acrylic and Hot Melt Tape

2" & 3"
SIZES AVAILABLE

AVAILABLE
TAPE HEAD ADAPTORS FOR OTHER BRAND SEALERS



PT Pneumatic Tape Head

High Speed Pneumatic Tape Head



Features

- Flexible for Standard and High Speed Applications Up to 75+ Cartons/min.
- Kiss Touch Tape Application - Allows for Sealing Even Light Chipboard Cartons
- Brass Knurled Roller - Handles Acrylic and Hot Melt Tape with Minimal Adhesive Build-up
- Two Tension Adjustment Knobs with One Heavy Duty Tension Spring and One Light Tension Spring
- SMC Oil-Less Pneumatic Air Cylinder with Air Cushion for long Cylinder Life and No Maintenance

2"
SIZES AVAILABLE



TH Legacy Tape Head


Pressure Sensitive Tape Head




Features

- Standard TH uses a Unique 3 Roller Tape Feed System for Reduced Number of Rollers to Feed Tape Around When Threading Tape in Tape Head (TH High Speed Tape Head uses a 5 Roller System)
- Brass Knurled Roller - Handles Acrylic and Hot Melt Tape with Minimal Adhesive Build-up
- Tension Adjustment Knob with Heavy Duty Spring
- Tab Length Adjustment from 2.0" to 2.5" Long
- Pop-out Tape Heads - Tape Heads can be Changed Quickly and Easily

2" & 3"
SIZES AVAILABLE



2", 3", 4", 6" and Stainless Steel Tape Heads available for your sealing needs.



BestPack Carton Erectors


Full System Integration: Carton Sealer & Erector

1.888.588.2378
www.bestpack.com

Semi-Automatic Solutions

L-BRACKET

Carton Holder & Stopper



T-RAIL & FLAP FOLDER

For Erecting & Bottom Folding + Sealing



MANUAL BOTTOM FLAP FOLDER

For Erecting and Packing



ELVS Automatic L-Type Suction Cup Case Erector

Up to 15 Cartons/min.



Features

- Quick and Easy Changeover
- Power Feed Hopper
- Hopper Length of 40" for Carton Capacity
- Vacuum Pump Suction Cup System
- PLC Logic Control
- Alarm System for Low Tape/No Tape on Carton/No Cut Sensors with Malfunction Jam Detection and Three-colored Warning Light
- Carton on Demand Logic with Photo Eye
- Side Belt Drive with High Speed Motors
- Small Footprint

110 VOLTS 60 HZ
20 AMP Single Phase
POWER REQUIREMENTS

80 PSI
10 SCFM
AIR REQUIREMENTS

(100.8") X (83.0") X (64.3")

MACHINE DIMENSIONS



NO OPERATOR REQUIRED



UNIFORM CARTONS



BOTTOM SEAL ONLY

ESHB Automatic Straight Feed Suction Cup Case Erector

Up to 10 Cartons/min.



Features

- Quick and Easy Changeover
- Carton Straight Fed from the Hopper/Carton Bottom Pulled
- Hopper Capacity: 70-100 Cartons
- Venturi Suction Cup System
- PLC Logic Control
- Alarm System for Low Tape/No Tape on Carton/No Cut Sensors with Malfunction Jam Detection and Three-colored Warning Light
- Carton on Demand Logic with Photo Eye

110 VOLTS 60 HZ
Single Phase
POWER REQUIREMENTS

100 PSI
10+ SCFM
AIR REQUIREMENTS

(126.0") X (75.0") X (79.0")

MACHINE DIMENSIONS



NO OPERATOR REQUIRED



UNIFORM CARTONS



BOTTOM SEAL ONLY

ESHT Automatic Straight Suction Cup Case Erector

Up to 15 Cartons/min.



Features

- Quick and Easy Changeover
- Carton Straight Fed from the Hopper/Carton Top Pulled
- Hopper Capacity: 70-100 Cartons
- Venturi Suction Cup System
- PLC Logic Control
- Alarm System for Low Tape/No Tape on Carton/No Cut Sensors with Malfunction Jam Detection and Three-colored Warning Light
- Carton on Demand Logic with Photo Eye

110 VOLTS 60 HZ
Single Phase
POWER REQUIREMENTS

100 PSI
10+ SCFM
AIR REQUIREMENTS

(198.1") X (86.2") X (83.1")

MACHINE DIMENSIONS




NO OPERATOR REQUIRED




UNIFORM CARTONS



BOTTOM SEAL ONLY



*BestPack manufactures carton sealers, indexers, and erectors only



MSD Manual Sidedrive Sealer

Up to 40 Cartons/min.



Features

- Two Side Belt Drives
- Telescopic Mast Design
- Extra 4" Carton Height Adjustment Available on Upper Assembly



MBD Manual Bottom Drive Sealer

Up to 30 Cartons/min.



Features

- Two Bottom Belt Drives
- Telescopic Upper Mast
- Adjustable Width Guide Rail Centering Mechanism
- Upper Side Compression



MSDBF Manual Sidedrive Dual Mast Flap Folder

Up to 15 Cartons/min.



Features

- Interchangeable 2" or 3" Tape Heads
- Two Extended Side Belt Drives
- Bottom 4 Flap Folder w/ Top 3 Flap Folders
- Attached T-Rail Packing Station



RSBFT Random Sidedrive Bottom Flap Folder

Up to 10 Cartons/min.



Features

- Two Extended Side Belt Drives
- Handles Random Carton Sizes
- Bottom Seal Only
- T-Rail w/ Bottom Major Flap Folding Horns



With over 120+ models of carton sealers, we offer the best solutions for your carton sealing needs.

If your needs cannot be filled by one of our standard carton sealers, customization options are available.

RS Random Sidedrive Sealer

Up to 15 Cartons/min.




Features

- Two Side Belt Drives: 78 - 150fpm
- Handles Random Carton Sizes
- Adjustable Bed Height from 20.5" - 30"
- Extra 4" Carton Height Adjustment



AQ Automatic Quad Drive Sealer

Up to 40 Cartons/min.



Features

- Side & Top Belt Drives
- In-line Carton Closure
- Automatic Flap-Folding
- Interlock Safety Gates in the Kicker Station



CSEG Fully Automatic Random Sidedrive Sealer

Up to 30 Cartons/min.



Features

- Plastic Crate Pass-Through
- Independent 3-stage Operation: Indexing, Flap Folding, & Sealing
- Handles Egg Industry Carton Sizes



AS Automatic Uniform Sidedrive Sealer

Up to 40 Cartons/min.



Features

- Side Belt Drives
- In-Line Carton Closure
- Automatic Flap-Folding
- Interlock Safety Gates in the Kicker Station



ATFXU Automatic Fruit Box Sealer

Up to 38 Cartons/min.



Features

- Rear Minor Flap Side Action Kicker
- Unique Positive Outer Sleeve Lifting Station
- High Speed Top & Bottom Drives
- Box Separating Indexer



CSS Fully Automatic Servo Random Sidedrive Sealer

Up to 30 Cartons/min.



Features

- AB PLC, HMI, Motors & Controls
- Fastest Fully Automatic Solution
- Independent 3-stage Operation: Indexing, Flap Folding, & Sealing



BestPack™

www.bestpack.com



BestPack Packaging Systems | 1425 S. Campus Avenue, Ontario, CA 91761 | 1.888.588.2378