



[www.bestpack.com](http://www.bestpack.com) | BestPack Packaging Systems | 1425 S. Campus Avenue, Ontario, CA 91761 | 1.888.588.2378

**QUALITY • INNOVATION • COMMUNITY**

Version 3.5\_1220

All contents are copyright © 2021 BestPack Packaging Systems. All rights reserved. This document is BestPack Public Information.



# BestPack is the Leading Innovator in Tape Sealing Solutions

With over 35 years of global packaging expertise, BestPack has developed over 120 models of carton sealers in over 48 countries worldwide.

Time-tested and effective, BestPack carton sealers have a reputation for quality and durability. Whether your company needs a standard RSC top & bottom seal or a 1-edge high-speed clamshell seal, BestPack will find the perfect sealing solution to increase your efficiency and decrease your cost.

BestPack has a full Engineering & Innovation Department, dedicated to creating a successful sealing solution for your application.



With over 120+ models of carton sealers, we offer the best solutions for your carton sealing needs.

If your needs cannot be filled by one of our standard carton sealers, customization options are available.

1.888.588.2378  
www.bestpack.com

## RS Random Sidedrive Sealer

Up to 15 Cartons/min.



### Features

- Two Side Belt Drives: 78 - 150fpm
- Handles Random Carton Sizes
- Adjustable Bed Height from 20.5" - 30"
- Extra 4" Carton Height Adjustment



OPERATOR  
REQUIRED




RANDOM  
CARTONS



TOP & BOTTOM  
SEAL

## AQ Automatic Quad Drive Sealer

Up to 40 Cartons/min.



### Features

- Side & Top Belt Drives
- In-line Carton Closure
- Automatic Flap-Folding
- Interlock Safety Gates in the Kicker Station



NO OPERATOR  
REQUIRED



UNIFORM  
CARTONS



TOP & BOTTOM  
SEAL

## CSEG Fully Automatic Random Sidedrive Sealer

Up to 30 Cartons/min.



### Features

- Plastic Crate Pass-Through
- Independent 3-stage Operation: Indexing, Flap Folding, & Sealing
- Handles Egg Industry Carton Sizes



NO OPERATOR  
REQUIRED




RANDOM  
CARTONS



TOP & BOTTOM  
SEAL

## AS Automatic Uniform Sidedrive Sealer

Up to 40 Cartons/min.



### Features

- Side Belt Drives
- In-Line Carton Closure
- Automatic Flap-Folding
- Interlock Safety Gates in the Kicker Station



NO OPERATOR  
REQUIRED



UNIFORM  
CARTONS



TOP & BOTTOM  
SEAL

## ATFXU Automatic Fruit Box Sealer

Up to 38 Cartons/min.



### Features

- Rear Minor Flap Side Action Kicker
- Unique Positive Outer Sleeve Lifting Station
- High Speed Top & Bottom Drives
- Box Separating Indexer



NO OPERATOR  
REQUIRED



UNIFORM  
CARTONS



TOP & BOTTOM  
SEAL

## CSS Fully Automatic Servo Random Sidedrive Sealer

Up to 30 Cartons/min.



### Features

- AB PLC, HMI, Motors & Controls
- Fastest Fully Automatic Solution
- Independent 3-stage Operation: Indexing, Flap Folding, & Sealing



NO OPERATOR  
REQUIRED



RANDOM  
CARTONS




TOP & BOTTOM  
SEAL

CARTON SEALERS



# Anatomy of the MSD Carton Sealer



# BestPack Carton Sealers

## MSD Manual Sidedrive Sealer

Up to 40 Cartons/min.



### Features

- Two Side Belt Drives
- Telescopic Mast Design
- Extra 4" Carton Height Adjustment Available on Upper Assembly



## MSDBF Manual Sidedrive Dual Mast Flap Folder

Up to 15 Cartons/min.



### Features

- Interchangeable 2" or 3" Tape Heads
- Two Extended Side Belt Drives
- Bottom 4 Flap Folder w/ Top 3 Flap Folders
- Attached T-Rail Packing Station



## MBD Manual Bottom Drive Sealer

Up to 30 Cartons/min.



### Features

- Two Bottom Belt Drives
- Telescopic Upper Mast
- Adjustable Width Guide Rail Centering Mechanism
- Upper Side Compression



## RSBFT Random Sidedrive Bottom Flap Folder

Up to 10 Cartons/min.



### Features

- Two Extended Side Belt Drives
- Handles Random Carton Sizes
- Bottom Seal Only
- T-Rail w/ Bottom Major Flap Folding Horns



# Why BestPack?

1.888.588.2378  
www.bestpack.com

## QUALITY

### Setting the Standard Equipment Built to Last

- Committing to quality, our machines have proven efficiency, durability, and longevity.
- We deliver well built, long-lasting solutions.

## INNOVATION

### Unique Sealing Solutions 120+ Carton Sealers


- Our engineering team has experience customizing sealing solutions for unique applications.
- Many of our current fleet of over 120 models of carton sealers began as custom applications.
- Solutions for Clamshell, FOL type, Edge Seals, or RSC type cartons.

## COMMUNITY

### Going Beyond Packaging Packaging Solutions for a Better World

- Sustainable Solutions - Solar powered facilities, BG tape for 100% Recycled Corrugated.
- Every BestPack purchase helps support philanthropic causes in the USA, Mexico, and the Philippines.

## Some of the many solutions BestPack Sealers offer:



ABOUT BESTPACK



# BestPack's Full Line of Carton Sealing Tape

# Full System Integration: Carton Sealer & Erector


1.888.588.2378  
www.bestpack.com

## BG: The One Taping Solution

BestPack's BG tape is a specially formulated adhesive and film composition with high tack properties. Using our unique low stretch cast film, BG Carton Sealing Tape is perfect for your difficult and challenging applications where high tack is needed.



Great Alternative  
for Hot Melt Tape



Downgauge for  
Cost Savings



Usage in Extreme  
Temperatures



Proven Solution for  
100% Recycled Corrugated



Formulated for Challenging  
& Difficult Applications

## An Aggressive Acrylic Tape for Difficult Applications

### Features

- Good Initial Quick Tack
- Rohm & Haas Acrylic Adhesive
- Usage in Extreme Temperatures
- Excellent Clarity
- UV Light Resistant
- Long Shelf Life

32°F - 150°F  
APPLICATION  
TEMPERATURE

-30°F - 200°F  
SERVICE  
TEMPERATURE

## HT

### General Purpose Tape for Light to Heavy Duty Applications



### Features

- Good Initial Quick Tack
- Consistent & Easy Release
- High Shear
- Heavy Duty Grade Tape

32°F - 104°F  
APPLICATION  
TEMPERATURE

30°F - 140°F  
SERVICE  
TEMPERATURE

## BP

### Pressure Sensitive Tape for Industrial Applications




### Features

- Usage in Extreme Temperatures
- Excellent Clarity
- UV Light Resistant
- Long Shelf Life

32°F - 150°F  
APPLICATION  
TEMPERATURE


-30°F - 200°F  
SERVICE  
TEMPERATURE



1 ERECT



2 PACK



3 SEAL

\*BestPack Carton Sealing Tape is ISO 9001 and ISO 14001 Certified

\*BestPack manufactures carton sealers, indexers, and erectors only

CARTON ERECTORS




# BestPack Carton Erectors

## Semi-Automatic Solutions

### L-BRACKET

Carton Holder & Stopper



### T-RAIL & FLAP FOLDER

For Erecting & Bottom Folding + Sealing




### MANUAL BOTTOM FLAP FOLDER

For Erecting and Packing



## ELVS Automatic L-Type Suction Cup Case Erector

Up to 15 Cartons/min.



### Features

- Quick and Easy Changeover
- Power Feed Hopper
- Hopper Length of 40" for Carton Capacity
- Vacuum Pump Suction Cup System
- PLC Logic Control
- Alarm System for Low Tape/No Tape on Carton/No Cut Sensors with Malfunction Jam Detection and Three-colored Warning Light
- Carton on Demand Logic with Photo Eye
- Side Belt Drive with High Speed Motors
- Small Footprint

110 VOLTS 60 HZ  
20 AMP Single Phase  
POWER REQUIREMENTS

80 PSI  
10 SCFM  
AIR REQUIREMENTS

(100.8") X (83.0") X (64.3")

MACHINE DIMENSIONS



## ESHB Automatic Straight Feed Suction Cup Case Erector

Up to 10 Cartons/min.



### Features

- Quick and Easy Changeover
- Carton Straight Fed from the Hopper/Carton Bottom Pulled
- Hopper Capacity: 70-100 Cartons
- Venturi Suction Cup System
- PLC Logic Control
- Alarm System for Low Tape/No Tape on Carton/No Cut Sensors with Malfunction Jam Detection and Three-colored Warning Light
- Carton on Demand Logic with Photo Eye

110 VOLTS 60 HZ  
Single Phase  
POWER REQUIREMENTS

100 PSI  
10+ SCFM  
AIR REQUIREMENTS

(126.0") X (75.0") X (79.0")

MACHINE DIMENSIONS



## ESHT Automatic Straight Suction Cup Case Erector

Up to 15 Cartons/min.



### Features

- Quick and Easy Changeover
- Carton Straight Fed from the Hopper/Carton Top Pulled
- Hopper Capacity: 70-100 Cartons
- Venturi Suction Cup System
- PLC Logic Control
- Alarm System for Low Tape/No Tape on Carton/No Cut Sensors with Malfunction Jam Detection and Three-colored Warning Light
- Carton on Demand Logic with Photo Eye

110 VOLTS 60 HZ  
Single Phase  
POWER REQUIREMENTS

100 PSI  
10+ SCFM  
AIR REQUIREMENTS

(198.1") X (86.2") X (83.1")

MACHINE DIMENSIONS



# Custom Printed & Colored Tape

1.888.588.2378  
www.bestpack.com

BestPack's line of custom printed and generic print tape adds security and brand awareness to your packages.

## AVAILABLE TYPES OF PRINT


### Surface Print Tape

#### Benefits of Surface Print:

- Good for smaller volume prints
- Added security and brand awareness
- Quick production time

#### Tape Breakdown:

Print Design  
Film  
Adhesive




### Lock Print Tape

#### Benefits of Lock Print:


- Better print security & clarity
- More affordable for high volume usage accounts
- Print does not smudge or smear off

#### Tape Breakdown:

Film  
Print Design  
Adhesive



## Sample Generic Prints



## COLORED TAPE

BestPack colored tape line brings bright and colorful sealing options to your packages. Available in hand or machine length rolls.



Available Widths 48mm 72mm 144mm

Available Lengths 100m 914m

### Available Colors

Tan Orange Yellow  
Red Green Blue White

CARTON SEALING TAPE





**AC** BestPack Standard Tape Head

**Pressure Sensitive Tape Head**



**Features**

- Durable, Heavy Duty Tape Head
- High Speed Design - Flexible for Standard & High Speed Applications
- Brass Knurled Roller - Handles Acrylic and Hot Melt Tape with Minimal Adhesive Build-up
- Tension Adjustment Knob with Heavy Duty Spring
- Optimizing Arm for Smooth Tape Roll Unwind
- Tape Erect Plate System Allows for Proper Position of the Tab for both Acrylic and Hot Melt Tape
- Tab Length Adjustment of 2.5", 2.75" and 3.0"

**2", 3", 4" & 6"**  
SIZES  
AVAILABLE

**AVAILABLE**  
FOOD GRADE 304  
STAINLESS STEEL



HIGH  
SPEED



KNURLED BRASS  
ROLLER



OPTIMIZING  
ARM

**BP** Universal Tape Head

**Universal Tape Head**



**Features**

- Narrow Width and Short Length Footprint - Designed to Fit in Other Carton Sealers with Proper Adaptors
- Brass Knurled Roller - Handles Acrylic and Hot Melt Tape with Minimal Adhesive Build-up
- Tension Adjustment Knob with Heavy Duty Spring
- Optimizing Arm for Smooth Tape Roll Unwind
- Easy Tab Length Adjustment of 2.0", 2.5" and 3.0"
- Tape Erect Plate System Allows for Proper Position of the Tab for both Acrylic and Hot Melt Tape

**2" & 3"**  
SIZES  
AVAILABLE

**AVAILABLE**  
TAPE HEAD ADAPTORS  
FOR OTHER BRAND SEALERS



UNIVERSAL  
NARROW DESIGN



KNURLED BRASS  
ROLLER



OPTIMIZING  
ARM

**PT** Pneumatic Tape Head

**High Speed Pneumatic Tape Head**



**Features**

- Flexible for Standard and High Speed Applications Up to 75+ Cartons/min.
- Kiss Touch Tape Application - Allows for Sealing Even Light Chipboard Cartons
- Brass Knurled Roller - Handles Acrylic and Hot Melt Tape with Minimal Adhesive Build-up
- Two Tension Adjustment Knobs with One Heavy Duty Tension Spring and One Light Tension Spring
- SMC Oil-Less Pneumatic Air Cylinder with Air Cushion for long Cylinder Life and No Maintenance

**2"**  
SIZES  
AVAILABLE



HIGH  
SPEED



KNURLED BRASS  
ROLLER



MADE FOR  
EDGE SEALERS

**TH** Legacy Tape Head

**Pressure Sensitive Tape Head**



**Features**

- Standard TH uses a Unique 3 Roller Tape Feed System for Reduced Number of Rollers to Feed Tape Around When Threading Tape in Tape Head (TH High Speed Tape Head uses a 5 Roller System)
- Brass Knurled Roller - Handles Acrylic and Hot Melt Tape with Minimal Adhesive Build-up
- Tension Adjustment Knob with Heavy Duty Spring
- Tab Length Adjustment from 2.0" to 2.5" Long
- Pop-out Tape Heads - Tape Heads can be Changed Quickly and Easily

**2" & 3"**  
SIZES  
AVAILABLE




UNIQUE 5 ROLLER  
TAPE FEED SYSTEM



KNURLED BRASS  
ROLLER



TAB LENGTH ADJ.  
2" TO 2.5"



**2", 3", 4", 6" and Stainless Steel  
Tape Heads available for your sealing needs.**

