

WWW.BPXSOLUTIONS.COM

WE OFFER QUICK SHRINK BRAND POLYOLEFIN SHRINK FILM. AND **OUR OWN BRANDS OF SHRINK** WRAPPERS, SHRINK TUNNELS, HORIZONTAL FLOW WRAPPERS, **POLY BUNDLERS AND PALLET** STRETCH WRAPPERS.

At BPX solutions, we specialize in empowering businesses to achieve their full potential with innovative packaging solutions. Our product line includes cutting-edge shrink solutions and reliable shrink film geared to meet the unique needs of your production line. Together with BestPack equipment we aim to streamline your operations, enhance your productivity, and drive growth so that you can thrive. Partner with BPX Solutions to elevate your business to the next level!



BPX SOLUTIONS SHRINK FILM

1.909.476.1100 WWW.BPXSOLUTIONS.COM

WE OFFER A WIDE VARIETY OF FILMS TO MEET VARIOUS PACKAGING NEEDS FROM OUR GENERAL PURPOSE 201 SHRINK FILM TO OUR HIGH PERFORMING QUICK SHRINK IR. THESE VERSATILE FILMS ARE EASILY MACHINABLE ENSURING YOUR PRODUCTS ARE PROTECTED AND SECURED





QUICK SHRINK 201 FILM

FEATURES

- Excellent Sparkle and Clarity
- · Makes Strong Durable Seals with Wire or Micro-Knife Systems
- Fast Seals Over a Broad Sealing Temperature Range
- High Tensile Strength And Puncture Resistance For Added Toughness
- Excellent Machineability
- Will Not Embrittle with Age
- High Percentage Balanced Shrink
- Works Well on a Wide Range of End User Applications
 - · Complies with USDA & FDA

FEATURES

- Excellent Sparkle and Clarity
- Makes Strong Durable Seals with all Types of Sealing Systems
- High Tensile Strength and Puncture Resistance for Added Toughness
- Consistent Machineability on Semi-Automatic and Fully Automatic Shrink Wrappers
- High Percentage of Shrink Allows Film to Conform Tightly to Irregular Shapes
- Good Resistance to Burn through Created by Tunnel Temperature Variations
- · Works Well on a Wide Range of End Use Applications Multi-Packs, Toys & Games.
- Complies with USDA & FDA Regulations for Direct Food Contact



GET REWARDED FOR YOUR PURCHASES: JOIN THE BPA PROGRAM

WWW.BESTPACK.COM/BPA-PROGRAM/

TWO EASY PURCHASES THAT QUALIFY



2

U

- UP TO 3 YEARS OF



BPX SOLUTIONS L-BAR SEALERS





AVAILABLE IN MICRO KNIFE, HOT KNIFE, AND WIRE



L-BAR SEALERS ARE AVAILABLE WITH SHRINK TUNNELS

PP-1519 ECMC L-BAR SEALER & SHRINK TUNNEL COMBO

UP TO 12 PACKAGES/MIN.

FEATURES

- Seal Dimensions: 15"W x 19"L
- "Micro Knife Technology"
- Easy Load Film Cradle
- Perforating Pin Wheel Hole Punch
- Adjustable Film Loading Tray
- Independent Seal and Pulse Timers
- Heavy Duty Stainless Steel Film Clamps
- Options include 110v or 220v
- 6" or 8" Opening
- Standard Casters
- Take-Away Conveyor









PP-1622HK SEMI-AUTOMATIC L-SEALER

UP TO 15 PACKAGES/MIN.

FEATURES

- Good for all Day Production
- Rugged Welded Steel
- · Options in Heavy Duty Hot Knife, Economical, Wire Seal or Micro Knife Seal Technology
- Matches with Any Tunnel
- Welded Combination Sealer and Tunnel Configuration
- Available in Stainless Steel, Vertical Seal Head, Push Button Seal Activation, Inverting Head and Power Film Unwind









PP-5600 COMBO AUTOMATIC L-SEALER/TUNNEL COMBO

UP TO 40 PACKAGES/MIN.

FEATURES

- "APA" Automatic Product Adjustment
- Vertical Seal Head Design with Center Seal
- Delta 7" Color Touch Screen with 40 Program Memory
- Variable Speed Drive 0-110 FPM
- Delta PLC
- Self-Diagnostics
- Multi-pack Option
- Single Piece Hot Knife Seal Bar













LERS

S M

L-B

PP-5545TBA ECONOMY AUTOMATIC L-SEALER

UP TO 25 PACKAGES/MIN.

FEATURES

- Small Footprint
- Variable Speed Conveyor
- Easy to Program and Adjust
- Max Package Dimension: (24.0" x 16.0" x 8.0")
- Many Infeed Conveyor and Shrink **Tunnel Options**














WITH THE ABILITY TO ENCASE YOUR ITEMS IN A CONTINUOUS FILM TUBE, THESE MACHINES PROVIDE

MAXIMUM PACKAGE FLEXIBILITY AND HIGH-SPEED CAPABILITIES, ENSURING EFFICIENCY AT ITS FINEST.

PP1200M

STEAM TUNNEL

UP TO 30-80 PACKAGES/MIN.



FEATURES

- Sainless Steel
- Open Design
- Variable Sizes Available
- Adjustable Steam Nozzles
- Steam Generators Sold Separately
- Option to Use Your Own Conveyors

PP1540

RADIENT HEAT NECK BANDING SHRINK TUNNEL

UP TO 40 PACKAGES/MIN.



FEATURES

- Digital Temperature Control
- Adjustable Tunnel & Conveyor Height
- Adjustable Side Guides
- Variable Speed Conveyor
- Stainless Steel Flat Top Belting
- Adjustable Leveling Pads









GENERAL PURPOSE SHRINK TUNNEL UP TO 45 PACKAGES/MIN.

PP1808-28



FEATURES

- Fully Re-Circulating Air Chamber
- Live Roller Rod Conveyor
- Digital Temperature Control 0-400°
- Adjustable Air Velocity Control
- AC Variable Speed Drive 0-75 FPM
- Automatic Cool Down with Shut Off
- Locking Casters with Leveling Pads
- 12 ft Power Cord
- Anti-Jam Safety Features on Conveyor
- 1/2 HP Blower Motor
- 7.5 KW Heater Bank





INTERMITTENT MOTION SIDE-SEALER AND SHRINK TUNNEL **UP TO 60 PACKAGES/MIN.** Teflon Coated Hot Knife Cross Seal Bar Servo Motor Drive on Cross Seal

PP-5545TBH + PP-5030LX

- Independent Digital Temperature Controls
- Colored Touch Screen

FEATURES

Omron PLC

- Motorized Scrap Wind Up Wheel with Built In Alarm When Full
- Emergency Stop Switch with Reset Button
- Automatic Pin Wheel Hole Punch
- Powered In-Feed Conveyor with Electric Eye to Start Cycle











PP-5545TBJ + PP-5030LH

CONTINUOUS MOTION SIDE SEALER AND SHRINK TUNNEL

UP TO 75 PACKAGES/MIN.

FEATURES

- 3 Servo Drive Technology
- Speeds Up to 75 PPM
- PLC With 7" Color Touchscreen HMI
- 50 Program Memory
- Multiple Languages
- Adjustable Height Cross Seal Bar
- Teflon Coated Rotary Side Seal Wheel

















BPX SOLUTIONS FLOW WRAPPERS Flow wrappers are designed to streamline packaging processes, built for vesatility, efficiency, sealing quality, and a better user-friendly experience. Whether you need to wrap individual items or create multi-packs, our flow wrappers offer a reliable solution to meet your packaging requirements.

C-SERIES

INVERTED HORIZONTAL FLOW WRAPPER

UP TO 100 PACKAGES/MIN.





FLOW WRAPPERS ARE PERFECT FOR BAKERY, CONFECTIONARY, CANNABIS, FOOD, PHARMACEUTICAL AND OTHER INDUSTRIES THAT REQUIRE PRODUCTS TO BE INDIVIDUALLY WRAPPED.

FEATURES

- Omron PLC
- Teflon Coated Hot Knife Cross Seal Bar
- Servo Motor Drive on Cross Seal
- Independent Digital Temperature Controls
- Motorized Scrap Wind Up Wheel with Built In Alarm When Full
- Emergency Stop Switch with Reset Button
- Ready for Printed Film or Nitrogen Gas-Flush
- Powered In-Feed Conveyor with Electric Eye to Start Cycle









WE OFFER A VARIETY OF OPTIONS TO IMPROVE/ENHANCE YOUR FLOW WRAPPING EXPERIENCE.

PP-6030Z + PP-6040M

FULLY AUTOMATIC IN-LINE POLY BUNDLING SLEEVE WRAPPING MACHINE

UP TO 15 PACKAGES/MIN.



FEATURES

- 36" Power Belt Infeed Conveyor with Photo Eye
- 20" Powered Discharge Conveyor
- Independent Seal Timer
- VFD Drive for Conveyor Speed Control
- Front Control Panel with Digital Temperature Controls
- Dual Film Rack with Independent Motor Drives
- Pneumatic Product Stabilizer on Discharge Conveyor
- AC Variable Speed Motor Inverters with PLC
- Tunnel Size of 71"L x 31.5"W x 16"H
- Heavy Duty High RPM, High Air Velocity Blower Motor
- Air Velocity From All 4 Side for Better Shrink Results
- Will Run Any Commercial Grade Polyethylene Film











PP4505-1

STRETCH PALLET WRAPPER

UP TO 25 PALLETS/MIN.



FEATURES

- Semi-Automatic
- 59" Diameter Turntable
- 4,400 Lbs Load Capacity
- Max Load Size 48" x 48" x 83" High
- Soft Start and Stop Turntable for Unstable Loads
- Variable Speed Turntable to 1-12 RPM
- Forklift Portable
- Exceeds OHSA Safety Standards
- Safety Sensor
- Heavy Duty Chain Driven Turntable
- Easy Thread Design















STRETCH PALLET WRAPPER

UP TO 20 PALLETS/MIN.

PP983



FEATURES

- Powered Pre-Stretch @ 250%
- 59" Diameter Turntable Base
- 4,000 lb. Load Capacity
- 7" Color HMI Touch Screen
- Variable Speed Turntable 0-15 RPM
- 30-40 Loads Per Hour
- Photo Eve
- 1 HP Motor
- 110 Volt









BPX SOLUTIONS | 1425 S. CAMPUS AVENUE, ONTARIO, CA 91761 | 1.909.476.1100