

CARTON SEALER APPLICATION FORM not applicable for CSEG/CSEGA

DEAL ID:

END USER INFORMATION

Company Name

Address

City State Zip Code

Contact Name & Title

Telephone No.

E-Mail

DISTRIBUTOR INFORMATION

Company Name

Address

City State Zip Code


Contact Name & Title

Telephone No.

E-Mail

CARTON INFORMATION

Please provide the outside measurements



LENGTH	WIDTH	HEIGHT	WEIGHT	% OF PRODUCTION
<input type="text"/>				
<input type="text"/>				
<input type="text"/>				
<input type="text"/>				
<input type="text"/>				
<input type="text"/>				
<input type="text"/>				
<input type="text"/>				

CARTON STATUS

Filled Underfilled
 Overfilled Re-Used

SAMPLE CARTONS SENT

Yes No

EXTRA CARTON SIZES ATTACHED?

Yes No


CARTONS

RSC
 HSC
 Other



CARTON TO BE TAPED:

Top & Bottom Side Seal (Left and right seal)
 Top Only 4-Edge Seal (if checked see right diagram)
 Bottom Only 1-Edge Seal (if checked see right diagram)
 Bypass Needed

Check for 1-Edge:



Check for 4-Edge Sealer:



ARE YOU RUNNING:

In Batches Random

TAPE:

2" (48mm) 4" (96mm)
 3" (72mm) 6" (144mm)


SHOULD THE MACHINE CLOSE:

Top Flaps Bottom Flaps

PACKING ROOM CONDITIONS:


Normal Wet Dusty Corrosive

Packing Room Temperature:



WILL THERE BE AN OPERATOR TO FEED THE MACHINE? Yes No

MACHINE ORIENTATION WITH RESPECT TO CARTON FLOW:



**POWER REQUIREMENTS
ELECTRICAL REQUIREMENTS**

- 110v 1-Phase (Standard)
- 220v 1-Phase
- 208v 3-Phase (Standard CSD/ATFXU)
- 480v 3-Phase (Standard for CSS)

AIR REQUIREMENTS

IS THERE AN AIR DRYER?

Yes

PSI:
SCFM:

CARTONS PER

Minute: Shift:
Hour: Day:

RECOMMENDED MODEL:

CONVEYOR INFORMATION

- Standard Height (25.5" - 30.5")
- Custom Height:

FACILITY INFORMATION:

What type of facility are the machines going into?

- New
- Existing

TAPE INFORMATION

- LOW USAGE** (Typically 1 pallet every 3-6 Months)
- MEDIUM USAGE** (Typically 1 pallet a month)
- HIGH USAGE** (Typically 1 pallet in a week)

CURRENTLY IN A TAPE AGREEMENT: Yes No

CURRENT TAPE BEING USED:

For fully automatic applications it is the responsibility of the end user to inform their corrugator that the cartons need to be well scored, with proper glue joints, and 3/8" or larger slots.

C-Series fully automatic sealers require cartons to be prepped with minor flaps tucked inside major flaps before entering the folding station.

Comments

Completed By

Date

PLEASE EMAIL COMPLETED FORM TO SALES@BESTPACK.COM



INTERESTED IN FREE BPA BENEFITS?

GET THE MOST OUT OF YOUR AUTOMATION FROM YOUR TAPE & SHRINK PURCHASE

FREE SPARE PARTS AND TAPE HEADS

FREE EXTENDED EQUIPMENT COVERAGE

UP TO \$1000 OFF NEW TAPE HEADS

DISCOVER MORE BENEFITS AND JOIN THE BPA PROGRAM AT: WWW.BESTPACK.COM/BPA-PROGRAM

FIND THE RIGHT TAPE SOLUTION FOR YOUR OPERATION



LOW USAGE: TYPICALLY 1 PALLET EVERY 3-6 MONTHS	MEDIUM USAGE: TYPICALLY 1 PALLET A MONTH	HEAVY USAGE: TYPICALLY 1 PALLET EVERY WEEK
UP TO 500 CARTONS/WEEK VOLUME	UP TO 500 - 2,500 CARTONS/WEEK VOLUME	UP TO 2,500+ CARTONS/WEEK VOLUME
ONLINE BOUTIQUE, OFFICE SUPPLY COMPANY, & SMALL PARTS SHIPPING INDUSTRY	APPAREL WAREHOUSES, DISTRIBUTOR, REGIONAL LOGISTICS HUB INDUSTRY	FULFILLMENT CENTER, GLOBAL MANUFACTURING, & 3PL INDUSTRY
SEMI-AUTOMATIC UNIFORM/RANDOM EQUIPMENT RECOMMENDED SOLUTION	FULLY-AUTOMATIC UNIFORM AND SEMI-AUTO RANDOM EQUIPMENT RECOMMENDED SOLUTION	FULLY AUTOMATIC RANDOM EQUIPMENT RECOMMENDED SOLUTION
QUICK PAYBACK WITH MINIMAL INVESTMENT ROI FOCUS	BALANCED COST AND PERFORMANCE FOR GROWING OPERATIONS ROI FOCUS	HIGH-OUTPUT PERFORMANCE WITH LONG-TERM SAVINGS AND AUTOMATION ROI ROI FOCUS

\$

1 - 2 YEAR COMMITMENTS GETS YOU A 3% DISCOUNT

\$\$

1 - 2 YEAR COMMITMENTS GETS YOU A 5% DISCOUNT

\$\$\$

1 - 2 YEAR COMMITMENTS GETS YOU A 10% DISCOUNT



For more information please go to:
WWW.BESTPACK.COM or call us at **1.888.588.2378**